## i-SENSYS LBP650 Series

# Built for the business challenges of today, colour laser printing is now simpler than ever.

Fast, reliable colour laser printing from a feature-packed, compact unit, designed to meet the demands of today's small businesses.



LBP653Cdw



#### Intuitive touchscreen

Enjoy quick, easy access to the LBP654Cx's features, with the elegant 12.7 cm (5") touchscreen. The keyless display allows users to navigate through the on-board functions with a simple tap, helping to save time and improve efficiency. The clear layout and intuitive design gives users fast access to functions they frequently require with minimal training.

#### **Innovative applications**

The LBP654Cx offers time-saving applications, designed to make printing easier and improve user efficiency. The Application Library allows forms, templates and other documents to be printed from a single press, without requiring any device to be connected. In addition, a personalised screen saver can be created, displaying important messages to users while in standby mode.

#### **Mobilising small businesses**

Designed to meet the demands of today's small businesses, the LBP650 series features AirPrint (Apple) and Mopria (Android) support, allowing users to harness the full potential of their mobile devices. There's NFC and QR code pairing too on the LBP654Cx, enabling fast, convenient access to the printer, with Wireless Direct connectivity allowing guests to print without the need for secure network credentials. The Canon PRINT Business mobile app also serves up a range of helpful tools, to further improve mobile working.

#### **Faster print speeds**

For small businesses, being as productive as possible is critical. That's why Canon has overhauled the engine inside the LBP650 series, to deliver print speeds of up to 27 pages per minute. This rapid performance increases user efficiency without compromising on quality, and produces a reliable, impressive output every time.

#### **Colour engineered to impress**

Canon's all-new laser technology enhances prints, with captivating hues that grab attention. Despite the rapid print speeds, the LBP650 range doesn't compromise when it comes to quality, with arresting and vibrant colours that add impact to any document. So, whether it's for sales, marketing, or just internal purposes, the Canon LBP650 printers supercharge your communications.

#### Less upkeep, more uptime

Keeping maintenance to a minimum, the LBP650 range features an auto toner seal removal system, making consumables easier to replace. In addition, the all-in-one (and optional high yield) cartridges keep the printer running for longer, while built-in consumable monitoring helps small businesses more efficiently plan their supplies purchasing.





#### **Cassette Feeding Module-AF1**

• Additional 550 sheet paper cassette, 1unit can be added to main unit.

#### Barcode Print Kit- E1 (Available on LBP654Cx)

• Installs bar code fonts for bar code printing. This kit, which is delivered boxed, includes a license access certificate for activation.

#### Barcode Print Kit- E1E (Available on LBP654Cx)

• Installs bar code fonts for bar code printing. This kit, which is delivered electronically, includes a license access certificate for activation.

#### **i-SENSYS LBP654Cx**



**Main Unit** 



Main unit + 1 Cassette **Feeding Module-AF1** 



#### • Technical Specifications

# i-SENSYS LBP650 Series

PRINTER ENGINE		Dimensions (W x D x H)	i-SENSYS LBP653Cdw: 437 mm x 469 mm x 313 mm
Print speed	Single sided : Up to 27 ppm (A4) Up to 49 ppm(A5-Landscape) Double sided : Up to 21.9 ipm (A4)		4-57 mm x 4-69 mm x 379 mm i-SENSYS LBP654Cx: 476 mm x 469 mm x 379 mm
Printing method	Colour laser beam printing	Weight	i-SENSYS LBP653Cdw:
Print quality	Up to 1200 x 1200 dpi		Approx. 20.5 kg
Print resolution	Up to 600 x 600 dpi		i-SENSYS LBP654Cx: Approx. 21 kg
Warm-up time	Approx. 13 seconds or less from power on	Operating environment	Temperature: 10 to 30°C (50 to 86°F)
First Page Out Time	Colour approx.: 8.6 seconds or less Mono approx.: 8.3 seconds or less	Control panel	Humidity 20 to 80% RH (no condensation) i-SENSYS LBP653Cdw:
Recommended Monthly Print Volume	750 - 4,000 pages per month		5 Line LCD, 3 LED (Job, Error, Energy saver), Buttons, 10-key numeric keypad
Duty cycle	Max. 50,000 pages per month*		i-SENSYS LBP654Cx: 12.7 cm LCD Colour Touch Screen
	*Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product		
Print margins	5 mm-top, bottom, left and right	CONTROLLER	0001111 0
Advanced printing features	i-SENSYS LBP653Cdw:	Processor Speed Memory	800MHz x 2 1GB
	Secure Print Print from USB memory key (JPEG/TIFF/PDF)	Printer Languages	UFRII, PCL5c*, PCL6, Adobe* PostScript
	Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app		*Commands supported only. Third party driver or direct printing from application
	Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app	Fonts	required. i-SENSYS LBP653Cdw:
	i-SENSYS LBP654Cx: Secure Print		45 PCL fonts, 136 PS fonts i-SENSYS LBP654Cx:
	Print from USB memory key (JPEG/TIFF/PDF) Barcode Print*		93 PCL fonts, 136 PS fonts
	Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app	Interface and connectivity	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wire- less 802.11b/g/n, Wireless Direct Connection
	Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app *Accessory - Barcode Printing Kit-E1 - is required	Software and Printer Management	i-SENSYS LBP653Cdw: Remote User Interface (RUI), Department ID Management,
MEDIA HANDLING			Toner Status Tool, iW Management Console: Server-based software for centralised management of a fleet of devices
Paper input (Standard)	250-sheet cassette		eMaintenance: embedded RDS allows remote eMaintenance
	50-sheet multi-purpose tray		services such as meter capture, automatic consumables manage- ment and remote diagnostics.
Paper input (Option)	550-sheet cassette		i-SENSYS LBP654Cx:
Paper output	150-sheet		Remote User Interface (RUI), Department ID Management,
Media types	Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Glossy paper, Label, Post card, Envelope		Toner Status Tool, iW Management Console: Server-based software for centralised
Media sizes	Cassette (Standard): A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COM10, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 215.9 x 355.6 mm.		management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. uniFLOW compatibility with uniFLOW Login Device Client for SFP MEAP
	Multi-purpose tray: A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COMIO, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max. 215.9 x 355.6 mm.	Operating Systems Compatibility	Windows* 10 / Windows* 8.1 / Windows* 8 / Windows* 7 / Windows* Vista / Server* 2016 / Server* 2012R2 / Server* 2012 / Server* 2008R2 / Server* 2008 Mac OS X version 10.7.5 & up Linux*/Citrix
	Cassette (Optional): A4, A5, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelop (COMIO, DL, C5), Custom sizes: Min. 100 x 148 mm	CONSUMABLES	*Web distribution only
Media weights	Max. 215.9 x 355.6 mm. Cassette (standard and optional): 52 to 163 g/m <sup>2</sup>	All-in-One cartridges	Cartridge 046 Black (2,200 pages *)**
	(Up to 200 g/m <sup>2</sup> with Glossy paper) Manual purpose tray: 60 to 176 g/m <sup>2</sup> (Up to 200 g/m <sup>2</sup> with Glossy paper)		Cartridge 046H Black (6,300 pages *)** Cartridge 046 Cyan (2,300 pages *)** Cartridge 046H Cyan (5,000 pages *)** Cartridge 046 Magenta (2,300 pages *)**
Double sided printing	Automatic Cassette (standard and optional):		Cartridge 046H Magenta (5,000 pages *)** Cartridge 046 Yellow (2,300 pages *)**
	A4, B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K Custom size - Min. 176 x 250 mm Max. 215.9 x 355.6 mm 60 to 163 g/m2		Cartridge 046H Yellow (5,000 pages *)** *Based on ISO/IEC 19752 **Printer ships with starter cartridge (Black: 1,100, C/M/Y: 1,200 pages)
		ACCESSORIES/ OPTIONS	
GENERAL FEATURES Power requirements	220-240V (±10%) 50/60Hz (±2Hz)	Items	i-SENSYS LBP653Cdw:
Power consumption	Maximum: Approx. 1,400W or less		CST.Feeding Module-AF1 (550-sheet cassette) i-SENSYS LBP654Cx:
	Standby: Approx. 17.6W or less Sleep: Approx. 0.6W or less Typical Electricity Consumption (TEC): 1.0kWh/week For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For_Work/Lot26/index.aspx "When in wireless mode, consumption will be 0.8W		ISENSTS LEPOSACX: CST.Feeding Module-AFI (550-sheet cassette) Barcode Printing Kit-EI Barcode Printing Kit-EIE MiCard Multi (Card reader for identification with RFID or magnetic cards with uniFLOW) Micard Plus (Card reader for identification with RFID or
Noise level	"When in wireless mode, consumption will be 0.8W Sound power" Active: 63 dB or less Standby: 42 dB or less		magnetic cards with uniFLOW) MiCard Attachment Kit-B1
	Sound pressure* Active: 48 dB Standby: 28 dB *Declared noise emission in accordance with ISO 9296		

Canon Inc. canon.com Canon Europe canon-europe.com English edition © Canon Europa N.V.,2017



## i-SENSYS LBP650 Series

# Built for the business challenges of today, colour laser printing is now simpler than ever.

Fast, reliable colour laser printing from a feature-packed, compact unit, designed to meet the demands of today's small businesses.



#### Product Details:

Product Name	Mercury Code	EAN Code	
i-SENSYS LBP654Cx	1476C001AA	4549292068573	
i-SENSYS LBP653Cdw	1476C006AA	4549292068627	

#### **Optional Accessories:**

Product Name	Mercury Code	EAN Code	
Cassette Feeding Module-AF1	0732A032AA	4549292077278	
Barcode Printing Kit-E1	5143B001AA	•	
Barcode Printing Kit-E1E	5143B002AA	-	

#### Consumables:

Product Name	Mercury Code	EAN Code
Cartridge 046 Black	1250C002AA	4549292073904
Cartridge 046 H Black	1254C002AA	4549292074055
Cartridge 046 Yellow	1247C002AA	4549292073812
Cartridge 046 H Yellow	1251C002AA	4549292073935
Cartridge 046 Magenta	1248C002AA	4549292073843
 Cartridge 046 H Magenta	1252C002AA	4549292073973
 Cartridge 046 Cyan	1249C002AA	4549292073874
Cartridge 046 H Cyan	1253C002AA	4549292074017

#### Easy Service Plan:

Item Name	Mercury Code	EAN Code	
Installation service	7950A546AA	4960999794426	
3-year on-site next day service-Pack B	7950A526AA	4960999793306	

#### Measurement / Logistic Information:

Product Name	Mercury code	Package Style	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
i-SENSYS LBP654Cx		Box	1	577	437	581	24.3
i-SENSYS LBP653Cdw 147		Pallet	8	1,220	910	1,165	-
		Container 40ft HC	368	-	-	-	-

#### What's in the box?

- Main unit
- Cartridge 046 Black (1,100 pages)
- Cartridge 046 Cyan/Magenta/Yellow (1,200 pages)
- Power supply cable

- Starter Guide
- User software DVD-ROM
- Warranty card

